

HAVILAND CONSUMER PRODUCTS, INC
SAFETY DATA SHEET



Section 1: Identification

Product Name: Spa Pure pH Up Product Code: C002579

Haviland Consumer Products, Inc.
421 Ann Street NW
Grand Rapids, MI 49504
(616) 361-6691

Emergency Phone
CHEMTREC (800) 424-9300
CHEMTREC International (703) 527-3887

Product Use: NA
Not recommended for: NA

Section 2: Hazard(s) Identification

GHS Ratings:

Inhalation Toxicity	Acute Tox. 4	Gases>2500+<=5000ppm, Vapors>10+<=20mg/l, Dusts&mists>1+<=5mg/l
Skin corrosive	1A	Destruction of dermal tissue: Exposure < 3 min. Observation < 1 hour, visible necrosis in at least one animal
Eye corrosive	1	Serious eye damage: Irreversible damage 21 days after exposure, Draize score: Corneal opacity >= 3, Iritis > 1.5
Organ toxin single exposure	3	Transient target organ effects- Narcotic effects- Respiratory tract irritation

GHS Hazards

H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage
H332	Harmful if inhaled
H336	May cause drowsiness or dizziness

GHS Precautions

P260	Do not breathe dust/fume/gas/mist/vapors/spray
P261	Avoid breathing dust/fume/gas/mist/vapors/spray
P264	Wash face, hands, and any exposed skin thoroughly after handling
P271	Use only outdoors or in a well-ventilated area
P280	Wear protective gloves/protective clothing/eye protection/face protection
P310	Immediately call a POISON CENTER or doctor/physician
P312	Call a POISON CENTER or doctor/physician if you feel unwell
P321	Specific treatment (see first aid treatment on SDS)
P363	Wash contaminated clothing before reuse
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
P303+P361+P353	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

P304+P340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do – continue rinsing
P405	Store locked up
P403+P233	Store in a well ventilated place. Keep container tightly closed
P501	Dispose of contents/container in accordance with local/regional/national/international regulations

Danger



Section 3: Composition/Information on Ingredients

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
Disodium carbonate 497-19-8 90 to 100%			

Section 4: First-aid Measures

Inhalation

Rescuers should put on appropriate protective gear. Remove from area of exposure. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Keep victim warm. Get immediate medical attention. To prevent aspiration, keep head below knees.

Eye Contact

Immediately flush eyes with water. Flush eyes with water for a minimum of 15 minutes, occasionally lifting and lowering upper lids. Get medical attention promptly.

Skin Contact

Remove contaminated clothing. Wash skin with soap and water. Get medical attention. Wash clothing separately and clean shoes before reuse.

Ingestion

If swallowed, do NOT induce vomiting. Give victim a glass of water. Call a physician or poison control center immediately. Never give anything by mouth to an unconscious person.

Section 5: Fire-fighting Measures

LEL:

UEL:

Extinguishing Media

Water, water fog, CO2, dry chemical

Specific Hazards Arising from the Chemical

Unknown

Special Protective Equipment and Precautions for Firefighters

Special Information: As in any fire, wear self-contained breathing apparatus pressure-demand (MSHA/NIOSH approved or equivalent) and full protective gear.

Section 6: Accidental Release Measures

Spill and Leak Procedures

Wear appropriate protective equipment and clothing during clean up. Vacuuming or wet sweeping may be used to avoid dust dispersal. Place material into appropriate container for disposal or recovery.

Section 7: Handling and Storage

HANDLING: Use only in a well ventilated area. Avoid breathing vapor, fumes or mist. Avoid contact with eyes, skin, and clothing. Ground and bond containers when transferring material. Always open containers slowly to allow any excess pressure to vent. Follow all MSDS/label precautions even after containers are emptied because they may retain product residues.

STORAGE: Keep away from heat, sparks, and flame. Store containers in a cool, well ventilated place. Keep container closed when not in use. Protect from direct sunlight.

Section 8: Exposure Control/Personal Protection

Chemical Name / CAS No.	OSHA Exposure Limits	ACGIH Exposure Limits	Other Exposure Limits
Disodium carbonate 497-19-8			

RESPIRATORY PROTECTION: A respiratory protection program that meets OSHA 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant the use of a respirator.

SKIN PROTECTION: Wear impervious protective gloves. Wear protective gear as needed - apron, suit, boots.

EYE PROTECTION: Wear safety glasses with side shields (or goggles) and a face shield.

OTHER PROTECTIVE EQUIPMENT: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

HYGENIC PRACTICES: Do not eat, drink, or smoke in areas where this material is used. Avoid breathing vapors.

Remove contaminated clothing and wash before reuse. Wash thoroughly after handling. Wash hands before eating.

Section 9: Physical and Chemical Properties

Appearance: White, granular solid	Odor: Odorless
Vapor Pressure: Unknown	Odor threshold: Unknown
Vapor Density: Unknown	pH: 11.4 (1% solution)
Density: Unknown	Melting point: 851°C (1564°F)
Freezing point: Unknown	Solubility: 33.2% maximum
Boiling range: Decomposes	Flash point: Unknown
Evaporation rate: Unknown	Flammability: Unknown
Explosive Limits: Unknown	Specific Gravity: Unknown
Autoignition temperature: Unknown	Decomposition temperature: Unknown

Viscosity: Unknown

Grams VOC less water: Unknown

Section 10: Stability and Reactivity

Chemical Stability:

STABLE

Incompatible Materials

Aluminum powder, acids, fluorine, molten lithium

Conditions to Avoid

None known

Hazardous Decomposition Products

Heated to decomposition, it emits fumes of sodium oxide.

Hazardous Polymerization

Hazardous polymerization will not occur.

Section 11: Toxicology Information

Mixture Toxicity

Oral Toxicity LD50: 4,090mg/kg

Dermal Toxicity LD50: 2,210mg/kg

Inhalation Toxicity LC50: 2mg/L

Component Toxicity

497-19-8

Disodium carbonate

Oral LD50: 4,090 mg/kg (Rat) Dermal LD50: 2,210 mg/kg (Mouse) Inhalation LC50: 2,300 mg/m3

Routes of Entry:

Inhalation

Ingestion

Skin contact

Eye contact

Effects of Overexposure

Emergency Overview

Harmful if swallowed. May cause skin and eye irritation.

Acute Health Effects

Contact with eyes or skin may result in irritation. Ingestion may result in gastric disturbances.

Inhalation may irritate the respiratory tract.

CAS Number

Description

% Weight

Carcinogen Rating

Section 12: Ecological Information

Component Ecotoxicity

Disodium carbonate

96 Hr LC50 Lepomis macrochirus: 300 mg/L [static]; 96 Hr LC50 Pimephales

promelas: 310 - 1220 mg/L [static]

48 Hr EC50 Daphnia magna: 265 mg/L

Section 13: Disposal Considerations

Dispose of in accordance with local, state and federal regulations.

Section 14: Transportation Informations

Refer to Bill of Lading or container label for DOT or other transportation hazard classification, if any .

Section 15: Regulatory Information

Country

Regulation

All Components Listed

Section 16: Other Information

Date Prepared: 7/23/2015

Reviewer Revision

Disclaimer

The information herein is believed to be correct, but does not claim to be all inclusive and should be used only as a guide. Neither the above named supplier nor any of its affiliates or subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All chemical reagents must be handled with the recognition that their chemical, physiological, toxicological, and hazardous properties have not been fully investigated or determined. All chemical reagents should be handled only by individuals who are familiar with their potential hazards and who have been fully trained in proper safety, laboratory, and chemical handling procedures. Although certain hazards are described herein, we can not guarantee that these are the only hazards which exist. Our SDS are based only on data available at the time of shipping and are subject to change without notice as new information is obtained.

Avoid long storage periods since the product is subject to degradation with age and may become more dangerous or hazardous. It is the responsibility of the user to request updated SDS for products that are stored for extended periods. Disposal of unused product must be undertaken by qualified personnel who are knowledgeable in all applicable regulations and follow all pertinent safety precautions including the use of appropriate protective equipment (e.g. protective goggles, protective clothing, breathing equipment, face mask, fume hood). For proper handling and disposal, always comply with federal, state and local regulations.